



New version: LEP Nursing Process 5.0

The new version of the LEP Nursing Process ,LEPnp 5.0, is provided to interested software company partners as a pair of tables: One table with the individual assessment instruments and classifications (Table 1), and one with the links between them (Fig. 1).

Abbreviation	Name of individual product	LEP Nursing Process 5.0 Version and languages	LEP Nursing Process 4.1 Version and languages
epa	<i>Ergebnisorientiertes Pflegeassessment</i> (Results-Oriented Patient Care Assessment)		
epaAC	Acute Care	2.4.00 FR, IT, DE, EN	2.3.01 FR, IT, DE, EN
epaLTC	Long Term Care	1.3.00 FR, IT, DE, EN	1.2.01 FR, IT, DE, EN
epaKIDS	Children; Paediatrics	2.3.00 FR, IT, DE, EN	2.2.00 FR, IT, DE, EN
epaPSYC	Psychiatry	epaPSYC 1.2.00 FR, IT, DE, EN	1.1.00 FR, IT, DE, EN
NANDA-I	NANDA: North American Nursing Diagnosis Association. Since 2002, NANDA has been used as a brand name for nursing diagnoses: NANDA International, Inc.		
NANDA-I	NANDA International Nursing Diagnoses	2021/23 FR, IT, DE, EN	2012/14 FR, IT, DE
AIR Goals	AHIS (Advanced Healthcare Information Systems) Institut Rosenberger – Nursing goals		
AIR Goals	AHIS Institut Rosenberger Nursing Goals	1.0.1 FR, DE, IT	1.0.1 FR, DE, IT
NANDA-I and AIR Goals	Combination: NANDA International Nursing Diagnoses with AHIS Institut Rosenberger Nursing Goals		
NANDA-I and AIR Goals	Combination: NANDA-I with AIR Goals	1.2.0 FR, DE, IT	1.0.1 FR, DE, IT
LEP Nursing 3	<i>Leistungserfassung in der Pflege</i> (Recording Nursing Care Services) - Nursing 3 versions		
LEP Nursing 3	LEP Nursing 3	3.5.0 FR, IT, DE, EN	3.4.1 FR, IT, DE, EN
NK	LEP Secondary Classifications		
NKB	LEP Organisation-Specific Addenda	1.1.0 FR, IT, DE, EN	1.0.1 FR, IT, DE, EN
NKF	LEP Case Data	1.1.0 FR, IT, DE, EN	1.0.1 FR, IT, DE, EN
NKPA	LEP Personnel Work Time and Absences	1.1.0 FR, IT, DE, EN	1.0.1 FR, IT, DE, EN



Table 1: Versions of individual products and languages in LEP Nursing Process 5.0 and 4.1 (old version)

The new LEP Nursing Process version 5.0 contains the four epa instruments epaAC, epaLTC, epaKIDS and epaPSYC (Table 1). As previously announced, the basic assessments (BA) from the “LEPWAUU” project are no longer included in the new version.

The current version of NANDA-I (2021/23) has been integrated. With the new database from Thieme, software-related technical difficulties such as incompatibilities between the different language versions have been resolved.

In LEP Nursing 3.5.0, the services without case assignment (LoFZ) that were present in 3.4.1 have been removed for the nursing process, as have the so-called “representative items” (Stvl), e.g. with the name “(AE3) Positioning”, in order to pre-emptively avoid misunderstandings and improper uses that frequently occurred with the earlier version. Both the LoFZ and the Stvl can be taken from the new LEPmatrix version 1.3.0. The LEP secondary classifications (NK) are available in separate tables.

All versions are available in French (FR), Italian (IT), German (DE) and English (EN) language versions, except for the AHIS Institut Rosenberger Nursing Goals (AIR Goals). No EN translation is available for these, and therefore none is available for the combination of NANDA-I with AIR Goals either (Table 1).

To support conceptual understanding and knowledge acquisition, detailed reports are also delivered for organisations using LEP, e.g. reports on the 1,590 links between the Results-Oriented Patient Care Assessment – Acute Care (epaAC) and the LEP Nursing 3 classification of nursing interventions (LEP N3) or the 17,353 links between the combination of NANDA International nursing diagnoses (NANDA-I) and the AHIS Institut Rosenberger Nursing Goals (AIR Goals) with LEP N3 (Fig. 1).






Fig. 1: Links in LEP Nursing Process 5.0 (LEP AG, 2023)

We'd be happy to advise you on an appropriate application for your healthcare organisation, or to answer your questions about software implementation. Simply contact us by [e-mail](#).